

PRODUCT # FB0045

BNH 蝦 片 粉(紅)

BNH FLAKES POWDER (RED)



- 營養均衡,對原生物,細菌的抵抗力高,消化率高並能促進 嗜口性,提高幼蝦的育成率。
- 增添 n~3 高度不飽和脂肪酸與磷脂質,增加蝦苗成長與存活率。
- 適用育苗全程使用,誘引力極高,可以縮短養殖時間,降低 成本。

主要成份及規格:

海洋性動物蛋白,海藻植物蛋白,酵母抽取物,精煉魚油,膽固醇,澱粉,焦糖色素, 綜合維生素和礦物質,抗氧化劑。

粗蛋白質	粗纖維	粗脂肪	粗灰分	鹽酸不溶物	水分
不低於 45%	不超過3.0%	不低於 3.0%	不超過 17%	不超過 2.0%	不超過 10%

建議用法及用量:

是成为为人 为主:						
期別	ZOEA 1 ~ MYSIS 3	P1 ~ P10	P11 ~ P16			
濾 缑	200 目 (75µm)	150 目 (100µm)	100 目 (100µm)			

- 1. 青苗密度為 10 萬尾 /m3 時,每次使用 1~2 公克 (1~2ppm),每天投餵 4~6 次。
- 2. 將蝦片放入瀘網中,用淡水揉洗後均勻灑入池中餵食。
- 使用時間及次數,隨技術人員需要而做適當調整。

包裝:10公斤(塑膠桶裝)

English:

- 1. Balanced nutrition; strong resistance to biophore and bacteria; high digestion.
- It raises the appetite.

 2.Enrich n-3 HUFAs, molting stimulants etc. to enhance the crustacean larval growth performance and improve the survival rate.

 3.Suitable for every larval stage. High attraction; it shortens the time of cultivation and reduces the cost.

Ingredients:

Marine and animal proteins, plant and algae protein, yeast, refined fish oils, cholesterol, starch, caramel, vitamins and mineral premixes, anti-oxidants.

CRUDE PROTEIN CRUDE FIBER CRUDE FAT CRUDE ASH HYDROCHLORIC ACID MOISTURE MIN 45% MAX 3.0% MIN 3.0% MAX 17% MAX 2.0% MAX 10%

Usage:

STAGES	ZOEA 1 ~ MYSIS 3	P1 ~ P10	P11 ~ P16
SCREEN NET	200 MESH (75μm)	150 MESH (100µm)	100 MESH (100µm)

Usage:

- 1. Screen flake and rub it in the freshwater, 250 mesh net for ZM, 200 mesh net for
- MY and 100 or 150mesh net for PL stages.

 2. Feed 3 to 5 g of flakes per million ZM. Feed 4 times per day.

 3. Feed 10 to 20 g of flakes per million MY. Feed 4 times per day.

 4. Feed 25 to 140 g of flakes per million PL. Feed 4 to 6 times per day.

Recommended Storage:

- 1. Keep it cool location and away from direct exposure of sunlight.
- Shelf life is two years from manufacture if stored properly.
 Once open keep in refrigerated used promptly within 1Month.

Package: 10 Kg (Plastic Bucket)

